[] Evaluation	
[] Re-evaluation _	
		(number)

North Carolina Department of Environment and Natural Resources

Division of Environmental Health PREOCCUPANCY EVALUATION REPORT OF DRINKING WATER SUPPLY AND

WASTEWATER I	FACILITIES FOR MIGRANT HOUSING	
On, as required in G.S. 95-225(c) a	and (d), an evaluation was conducted of the drinking water supply and	
(date)	ed of # of Mobile home units, # of House (s) and	
wastewater system serving a migrant nousing site compose	a of # of Noblie florife utilits, # of House (s) and	
Other type of housing/describe:	located at	
and ope	(address or directions; use reverse if needed)	
	(name of person[s]/company)	
of	(mailing address)	
*** PLEASE SUBMIT ONE F	REPORT FOR EACH SEPTIC SYSTEM ***	
This report describes well/spring and sewage s (number) The findings of this evaluation are as follows:	system (Use reverse for a drawing, if needed.) (number)	
· ·		
WATER SUPPLY		
Community or non-transient-non-community water system under routine surveillance of Public Water Supply Section, (yes/no) Division of Environmental Health		
Private Water or Non-Community System (yes/no)		
At the time of inspection, there visual ev	idence of non-compliance with the "Protection of Water Supplies"	
(was/was not) 15A NCAC 18A .1700 (attach copy of bacteriological sample	e). List deficiencies which were identified:	
(U	se reverse if necessary)	
WASTEWATER FACILITIES		
System to approval under 15A NC (subject/not subject)	CAC 18A .1900, "Laws and Rules for Sewage Treatment and Disposal	
Systems." Explain, if not subject to approval		
[] On-Site Septic Tank System [] Chemical Portable Toile	ets [] Others	
At the time of inspection, there visua (was/was not)	Il evidence of non-compliance with 15A NCAC 18A .1900 (including	
.1962) "Laws and Rules for Sewage Treatment and Disposa	al System." List deficiencies which were identified:	
(U	se reverse if necessary)	
The wastewater system, to the best of my knowledge and b	elief, is sized to servepeople.	
The wastewater system, to the best of my knowledge and b	(maximum number)	
Environmental Health Specialist	Health Department	
Date	Address	
Forward copies to: Migrant Housing Operator		
Department of Labor		
Agriculture Safety & Health Bureau	Office Phone Number	

DENR 3765 (Revised 2/2011) On-Site Wastewater Section (Review 12/2012)